## TC 3700 Inventor Search Program

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

---

## Serial Number:

## 1.) See <u>attached</u> printout of inventors listed in PALM

## 2.) See <u>attached</u> EAST Inventor Search
**Printout shows Inventor search terms**

**PALM INTRANET**

# Inventor Information for 10/800763

| Inventor Name | City | State/Country |
|---|---|---|
| RYU, CHANG SU | DAEJEON-SHI | KOREA, REPUBLIC OF |
| SONG, YOON SEON | DAEJEON-SHI | KOREA, REPUBLIC OF |
| NAM, SEUNG HOON | DAEJEON-SHI | KOREA, REPUBLIC OF |
| YIM, TAE GYU | DAEJEON-SHI | KOREA, REPUBLIC OF |
| RYU, CHANG YONG | DAEJEON-SHI | KOREA, REPUBLIC OF |

Appln Info   Contents   Petition Info   Atty/Agent Info   Continuity Data   Foreign Data

Search Another: Application# [          ] Search    or Patent# [          ] Search

PCT / [     ] / [        ] Search    or PG PUBS # [          ] Search

Attorney Docket # [                    ] Search

Bar Code # [              ] Search

To go back use Back button on your browser toolbar.

Back to  PALM | ASSIGNMENT | OASIS | Home page

| US 20060060960 A1 | 20060323 | 37 | Printed circuit board having chip package mounted theron and method of fabricating same | 257/700 | 174/260; 257/778; 438/106; 438/108 | Cho; Suk Hyeon et al. |
|---|---|---|---|---|---|---|
| US 20060056539 A1 | 20060316 | 14 | Differential space-time block coding apparatus with high transmission rate and method thereof | 375/299 | | Nam; Seung-Hoon et al. |
| US 20060056538 A1 | 20060316 | | Apparatus and method for transmitting data using full-diversity, full-rate STBC | 375/298 | 375/299 | Nam; Seung-Hoon et al. |
| US 20060056528 A1 | 20060316 | | Method of transmitting and receiving preamble sequences in an orthogonal frequency division multiplexing communication system using multiple input multiple output scheme | 375/260 | | Jung; Young-Ho et al. |
| US 20060054352 A1 | 20060316 | | Printed circuit board including embedded passive component and method of fabricating same | 174/260 | 174/262; 174/264; 174/266; 361/763 | Ryu; Chang Sup et al. |
| US 20060049913 A1 | 20060309 | | Printed circuit board including embedded resistor and method of fabricating the same | 338/309 | | Kang; Myung Sam et al. |
| US 20060045201 A1 | 20060302 | | Apparatus and method for full-diversity, full-rate space-time block coding for two transmit antennas | 375/267 | | Chae; Chan-Byoung et al. |
| US 20060044734 A1 | 20060302 | | Printed circuit board including embedded capacitor having high dielectric constant and method of fabricating same | 361/313 | | Ahn; Jin-Yong et al. |
| US 20060018415 A1 | 20060126 | | Method for feeding back antenna shuffling information in a multiple-input | 375/347 | | Jung; Young-Ho et al. |

| | | | | | | |
|---|---|---|---|---|---|---|
| | | | multiple-output system using a multiple space-time block coding technique | | | |
| US 20060017435 A1 | 20060126 | | Printed circuit board having weak magnetic field sensor and method of manufacturing the same | 324/249 | | Kang; Myung-Sam et al. |
| US 20060014327 A1 | 20060119 | | Method of fabricating PCB including embedded passive chip | 438/125 | | Cho; Suk-Hyeon et al. |
| US 20060001422 A1 | 20060105 | | Printed circuit board with weak magnetic field sensor and method of fabricating the same | 324/260 | | kang; Myung-Sam et al. |
| US 20050284657 A1 | 20051229 | | Double-sided printed circuit board without via holes and method of fabricating the same | 174/262 | 174/266; 29/830; 29/846 | Ryu, Chang-Sup et al. |
| US 20050283061 A1 | 20051222 | | Physiological signal detection module, multi-channel connector module and physiological signal detection apparatus using the same | 600/372 | | Ryu, Chang Yong et al. |
| US 20050261564 A1 | 20051124 | | Wearable physiological signal detection module and measurement apparatus having the same | 600/388 | 600/395 | Ryu, Chang Yong et al. |
| US 20050254477 A1 | 20051117 | | Beamforming method for an SDM/MIMO system | 370/342 | 375/267; 455/517 | Lee, Kyung-Chun et al. |
| US 20050254457 A1 | 20051117 | | Dynamic subchannel and bit allocation in a multiuser-MIMO/OFDMA system | 370/328 | 370/334; 375/347; 455/101 | Jung, Young-Ho et al. |
| US 20050243939 A1 | 20051103 | | Pilot designing method in an uplink OFDMA system | 375/260 | | Jung, Young-Ho et al. |

| US 20050195914 A1 | 20050908 | | Method for deciding signal detection order in mobile communication system | 375/267 | | Kim, Kyeongyeon et al. |
|---|---|---|---|---|---|---|
| US 20050180354 A1 | 20050818 | | Method for allocating subchannels in an OFDMA mobile communication system | 370/328 | | Cho, Yoon-Ok et al. |
| US 20050178585 A1 | 20050818 | | Printed circuit board having axially parallel via holes | 174/262 | | Kim, Young Woo et al. |
| US 20050147176 A1 | 20050707 | | ICI cancellation method for an OFDM system | 375/260 | | Yun, Jae-Yeun et al. |
| US 20050147024 A1 | 20050707 | | Communication method in an FH-OFDM cellular system | 370/203 | | Jung, Young-Ho et al. |
| US 20050137493 A1 | 20050623 | | Apparatus and method for recognizing positive/negative intention using fine change of gamma wave of brainwave | 600/544 | | Ryu, Chang Su et al. |
| US 20050137472 A1 | 20050623 | | Electrode-connector protecting cap and electrode-connector including the same | 600/372 | 600/394 | Ryu, Chang Yong et al. |
| US 20050135500 A1 | 20050623 | | Space-time block coding method using auxiliary symbol | 375/267 | | Nam, Seung-Hoon et al. |
| US 20050135499 A1 | 20050623 | | Differential space-time block coding apparatus using eight or less transmit antennas | 375/267 | | Nam, Seung-Hoon et al. |
| US 20050086831 A1 | 20050428 | | Rear cover assembly for washing machine and dryer and washing system using the same | 34/603 | 68/142; 68/3R | Ryu, Chang Won |
| US 20050060732 A1 | 20050317 | | Actuator employing a bobbin incorporating a winding coil and a manufacturing method thereof | 720/685 | | Kang, Myung-Sam et al. |
| US 20040218682 A1 | 20041104 | | Apparatus and method for performing channel estimation in an | 375/260 | | Nam, Seung-Hoon et al. |

| | | | orthogonal frequency division multiplexing (OFDM) system using multiple antennas | | | |
|---|---|---|---|---|---|---|
| US 20040213353 A1 | 20041028 | | Apparatus and method for transmitting/receiving differential STBC using channel power | 375/267 | | Hwang, Chan-Soo et al. |
| US 20040208254 A1 | 20041021 | | Method and apparatus for estimating a signal sequence in a MIMO-OFDM mobile communication system | 375/260 | 375/261; 375/267; 375/332; 375/347 | Lee, Jong-Ho et al. |
| US 20040190484 A1 | 20040930 | | Wireless communication apparatus and method using multi-transmission/recep-tion antenna system | 370/347 | | Shin, Oh-Soon et al. |
| US 20040185428 A1 | 20040923 | | Lectin protein prepared from korean marine crab philyra pisum, process for preparing the same and the use thereof | 435/4 | 530/396 | Kim, Ha-Hyung et al. |
| US 20040151256 A1 | 20040805 | | Apparatus and method for transmitting and receiving data in a mobile communication system using space-time trellis code | 375/267 | | Hwang, Chan-Soo et al. |
| US 20040146025 A1 | 20040729 | | Apparatus and method for transmitting/receiving a pilot sequence in a mobile communication system using space-time trellis code | 370/334 | | Hwang, Chan-Soo et al. |
| US 20040137951 A1 | 20040715 | | Transmitter and receiver provided in wireless communication system using four transmitting antennas | 455/562.1 | 375/285; 455/101 | Hwang, Chan-Soo et al. |
| US | 20040715 | | Receiving apparatus in | 455/130 | 375/285; | Hwang, |

| Patent | Date | | Title | Class | Class (cross-ref) | Inventors |
|---|---|---|---|---|---|---|
| 20040137864 A1 | | | a radio communication system using at least three transmitter antennas | | 455/101; 455/562.1 | Chan-Soo et al. |
| US 20040136465 A1 | 20040715 | | Data transmission/reception apparatus and method for achieving both multiplexing gain and diversity gain in a mobile communication system using space-time trellis code | 375/267 | | Hwang, Chan-Soo et al. |
| US 20040132413 A1 | 20040708 | | Transmission/reception apparatus for a wireless communication system with three transmission antennas | 455/73 | | Hwang, Chan-Soo et al. |
| US 20040124003 A1 | 20040701 | | Double-sided printed circuit board without via holes and method of fabricating the same | 174/254 | 29/829; 29/831; 29/846 | Ryu, Chang-Sup et al. |
| US 20040117098 A1 | 20040617 | | Apparatus and method for controlling vehicle brake using brain waves | 701/70 | 303/121 | Ryu, Chang Su et al. |
| US 20040072594 A1 | 20040415 | | Transmitting and receiving apparatus for supporting transmit antenna diversity using space-time block code | 455/562.1 | 375/285; 455/101 | Hwang, Chan-Soo et al. |
| US 20040045097 A1 | 20040311 | | Rinse control method for washing machine | 8/159 | 68/12.05; 68/12.19; 68/12.21; 68/19.2 | Kim, Jong-Ho et al. |
| US 20030139683 A1 | 20030724 | | Apparatus and method for measuring electroencephalogram | 600/544 | | Ryu, Chang-su et al. |
| US 20030046254 A1 | 20030306 | | Apparatus for controlling electrical device using bio-signal and method thereof | 706/15 | | Ryu, Chang Su et al. |
| US 20020127170 A1 | 20020912 | | Method of synthesizing carbon nanotubes and | 423/447.3 | 422/198; 422/211 | Hong, Eun-Hwa et al. |

| | | | | | | |
|---|---|---|---|---|---|---|
| | | | apparatus used for the same | | | |
| US 20020016457 A1 | 20020207 | | Process for preparing cephalosporin antibiotics using new thiazole compound | 540/225 | | Yoon, Dae-Chul et al. |
| US 20020002847 A1 | 20020110 | | Washing machine with tilted washing tub | 68/3R | 68/171; 68/23.1; 68/24 | Son, Ji Chang et al. |
| US 7015313 B2 | 20060321 | | Lectin protein prepared from Korean marine crab Philyra pisum, process for preparing the same and the use thereof | 530/396 | 435/4; 530/350 | Kim; Ha-Hyung et al. |
| US 6928354 B2 | 20050809 | | Apparatus and method for controlling vehicle brake using brain waves | 701/70 | 188/2R; 280/28.11; 701/36 | Ryu; Chang Su et al. |
| US 6759025 B2 | 20040706 | | Method of synthesizing carbon nanotubes and apparatus used for the same | 423/447.3 | 423/445R; 423/447.1; 977/843; 977/844; 977/951 CIPG 20060101 A B01J B01J23/745 L N R US M 20060101 CICL B01J CIPN B01J23/745 20060101 CIPG 20060101 A B01J B01J23/745 L N R US M 20060101 CICL B01J CIPN B01J23/745 20060101 | Hong; Eun-Hwa et al. |

| | | | | | | |
|---|---|---|---|---|---|---|
| | | | | | CIPG 20060101 A B01J B01J23/75 L N R US M 20060101 CICL B01J CIPN; B01J23/75 20060101 CIPG 20060101 A B01J B01J23/75 L N R US M 20060101 CICL B01J CIPN B01J23/75 20060101 CIPG 20060101 A C01B C01B31/00 L I R US M 20060101 CICL C01B CIPS C01B31/00 20060101 CIPG 20060101 A C01B C01B31/02 L I R US M 20060101 CICL C01B CIPS; C01B31/02 20060101 | |
| US 6609024 B1 | 20030819 | | Method of making a judgment on emotional positivity or negativity | 600/544 | 128/925 | Ryu; Chang-Su et al. |

| | | | | | | |
|---|---|---|---|---|---|---|
| | | | by detecting asymmetry of brain waves of left and right cerebral hemispheres | | | |
| US 6591368 B1 | 20030708 | | Method and apparatus for controlling power of computer system using wake up LAN (local area network) signal | 713/323 | 710/310; 713/324 | Ryu; Chang-hyun |
| US 6584814 B2 | 20030701 | | Washing machine with tilted washing tub | 68/24 | 68/3R | Son; Ji Chang et al. |
| US 6453414 B1 | 20020917 | | Computer system with PC cards and method of booting the same | 713/2 | | Ryu; Chang-Hyun |
| US 6384212 B1 | 20020507 | | Process for preparing cephalosporin antibiotics using new thiazole compound | 540/222 | 540/225; 540/228 | Yoon; Dae-chul et al. |
| US 6277996 B1 | 20010821 | | Thiazole compound and a process thereof | 548/194 | | Yoon; Dae-chul et al. |
| US 6151612 A | 20001121 | | Apparatus and method for converting floating point number into integer in floating point unit | 708/204 | | Song; Yoon Seok |
| US 6144979 A | 20001107 | | Method and apparatus for performing multiply operation of floating point data in 2-cycle pipeline scheme | 708/620 | 708/627 | Song; Yoon Seok et al. |
| US 6100666 A | 20000808 | | Method for calibrating rechargeable battery capacity | 320/132 | | Ryu; Chang-Hyun |
| US 6087884 A | 20000711 | | Bifrequency output device | 327/367 | 327/372 | Kim; Seung Hwan et al. |
| US 6081148 A | 20000627 | | Apparatus for minimizing a clock skew occurring in a semiconductor device | 327/292 | 327/293; 327/295 | Song; Yoon Seok |
| US 6079011 A | 20000620 | | Apparatus for executing a load instruction or exchange instruction in parallel with other instructions | 712/214 | 711/200; 712/208 | Song; Yoon Seok |

| | | | | | | |
|---|---|---|---|---|---|---|
| | | | in a dual pipelined processor | | | |
| US 6073246 A | 20000606 | | Clock generating apparatus for skew control between two-phase non-overlapping clocks | 713/401 | 713/503; 713/600 | Song; Yoon Seok et al. |
| US 6067625 A | 20000523 | | Computer security system having a password recovery function which displays a password upon the input of an identification number | 726/18 | | Ryu; Chang-Hyun |
| US 6040641 A | 20000321 | | Method for manufacturing probabilistic switch using multiplicative noise | 307/112 | 327/334 | Kim; Seung-Hwan et al. |
| US 6021346 A | 20000201 | | Method for determining positive and negative emotional states by electroencephalogram (EEG) | 600/544 | 600/300 | Ryu; Chang Su et al. |
| US 5978921 A | 19991102 | | Computer system and control method thereof | 713/300 | 702/63 | Ryu; Chang-Hyun |
| US 5964878 A | 19991012 | | Method for controlling operation of optical disk drive in power saving mode | 713/323 | 713/320; 713/324 | Ryu; Chang-Hyun |
| US 5959483 A | 19990928 | | Method for amplifying voltage in Josephon junction | 327/186 | 327/366; 327/367 | Park; Seon Hee et al. |
| US 5900026 A | 19990504 | | Method and apparatus for setting a computer coupled to a network into a power saving mode | 713/320 | 713/323 | Ryu; Chang-Hyun |
| US 5898880 A | 19990427 | | Power saving apparatus for hard disk drive and method of controlling the same | 713/323 | 713/324; 713/340 | Ryu; Chang-Hyun |
| US 5865542 A | 19990202 | | Guide sleeve for a length-adjustable | 384/29 | 248/161; 297/344.18; | Ryu; Chang Keun |

| | | | column for chairs | | 384/291; 384/295 | |
|---|---|---|---|---|---|---|
| US 5857979 A | 19990112 | | Method for analyzing electroencephalogram using correlation dimension | 600/544 | | Ryu; Chang-Su et al. |
| US 5777611 A | 19980707 | | Apparatus for controlling power sequence of an LCD module | 345/212 | 345/211; 345/52 | Song; Yoon Seok |
| US 5342012 A | 19940830 | | Height adjusting mechanism for swivel chair | 248/406.2 | 248/417 | Ryu; Chang-Keun |